

DAFTAR LAMPIRAN

Lampiran 1

Free Fall Live Boats



FREE FALL LIFEBOAT
FREE FALL LAUNCHING APPLIANCE

FREE FALL LIFEBOAT & FREE FALL LAUNCHING APPLIANCE : SOLAS

Product : FREE FALL LIFEBOAT COMMON TYPE
Availability : Contact Us

★★★★★ (0/5) 0 reviews | Write a review

[+](#) [✉](#) [💬](#) [f](#) [t](#)


Description

Reviews (0)

Free Fall Lifeboat 25 Person - Common Type
FREE FALL LIFEBOAT SOLAS 25 PERSON - COMMON TYPE
SOLAS 25 PERSON FREE FALL LIFEBOAT

Dimension / Size: 5.80 x 2.55 x 0.90
Capacity / Person: 25 Person
Length of Ramp (m): 7.0
Speed (knots): >6
Fall Height (m): 17
Total weight (kg) : 5560

10. DRAWINGS



Lampiran 3

Life Raft




Solas 6 & 8



ATOB - 6 & 8

Solas 6 & 8 Man Throw Overboard Life Raft

- Suitable for installing in all vessels sailing on international voyages
- Meets the China MSA - Regulations for the Statutory Surveys of Ships and offshore installations - Technical Regulations for the Statutory Surveys of Sea-going Ships Engaged in Domestic Voyages 2004, and its 2005 Amendments, Part 4, Ch. 3 and SOLAS (74/96), LSA, MSC. 82(70), MSC. 225 (82), MSC. 218(82), MSC. 292 (87), ISO 15725 (2002)
- Max. Storage Height: 35-38m
- Equipment Code: SOLAS A/B PACK
- Certification: CCS, GL



SOLAS 6 & 8 MAN THROW OVERBOARD LIFE RAFT

Type	ATO6 - 6	ATO6 - 8
Shape	Regular Hexagon	
Capacity (Persons)	6	8
Dimensions (L x W x H) mm	2104 x 2104 ± 1200	2390 x 2390 ± 1200
Cylinder (L)	4L ± 1	5L ± 1
Container Dimensions (mm)	Solas A Pack (a x b)	1090 ± 50 ± 5
	Solas B Pack (c x b)	1065 ± 50 ± 5
Packing Dimensions (mm)	Solas A Pack (c x d x e)	1140 ± 475 ± 450
	Solas B Pack (c x d x e)	1100 ± 400 ± 590
Required Ballast Pull (Kn)	For 3 knots speed	0.30
	For 3 knots speed	0.30
Weight (kg)	≤ 75	≤ 90

Lampiran 4

Crane

MORDEC™ DECK MACHINERY

Marine Deck Crane

- Types: Provision Crane/ Flow Boom Crane / Knuckle Boom Crane / Telescopic Crane
- Capacity: Up to 50ton
- Large range of working radius
- Drive: Electrical / Electro-Hydraulic / Diesel-Hydraulic



Specifications subject to change without notice. This edition supersedes all previous issues.


Lampiran 5

Katalog Pelat

Plate Dimensions from New Plate Mill of Rourkela Steel Plant*												
Width (mm)		Length (mm)										
Thickness (mm)		1500	1600	1800	2000	2200	2500	2800	3200	3600	4000	4100
20, 22, 25, 28 30, 32, 36, 40, 45		6300	6300	6300	6300	6300	6300	6300	6300	6300		
		7100	7100	7100	7100	7100	7100	7100	7100	7100		
		8000	8000	8000	8000	8000	8000	8000	8000	8000		
		9000	9000	9000	9000	9000	9000	9000	9000	9000		
		10000	10000	10000	10000	10000	10000	10000	10000	10000		
		11000	11000	11000	11000	11000	11000	11000	11000	11000		
		12000	12000	12000	12000	12000	12000	12000	12000	12000		
		12500	12500	12500	12500	12500	12500	12500	12500	12500		
		13000	13000	13000	13000	13000	13000	13000	13000			
		14000	14000	14000	14000	14000	14000	14000	14000			
		15000	15000	15000	15000	15000	15000	15000				
10, 12		6300	6300	6300	6300	6300	6300	6300	6300	6300		
		7100	7100	7100	7100	7100	7100	7100	7100	7100		
		8000	8000	8000	8000	8000	8000	8000	8000	8000		
		9000	9000	9000	9000	9000	9000	9000	9000	9000		
		10000	10000	10000	10000	10000	10000	10000	10000	10000		
		11000	11000	11000	11000	11000	11000	11000	11000	11000		
		12000	12000	12000	12000	12000	12000	12000	12000	12000		
		12500	12500	12500	12500	12500	12500	12500	12500	12500		
		13000	13000	13000	13000	13000	13000	13000	13000			
		14000	14000	14000	14000	14000	14000	14000	14000			
		15000	15000	15000	15000	15000	15000	15000				
14, 16, 18		6300	6300	6300	6300	6300	6300	6300	6300	6300		
		7100	7100	7100	7100	7100	7100	7100	7100	7100		
		8000	8000	8000	8000	8000	8000	8000	8000	8000		
		9000	9000	9000	9000	9000	9000	9000	9000	9000		
		10000	10000	10000	10000	10000	10000	10000	10000	10000		
		11000	11000	11000	11000	11000	11000	11000	11000	11000		
		12000	12000	12000	12000	12000	12000	12000	12000	12000		
		12500	12500	12500	12500	12500	12500	12500	12500	12500		
		13000	13000	13000	13000	13000	13000	13000	13000			
		14000	14000	14000	14000	14000	14000	14000	14000			
		15000	15000	15000	15000	15000	15000	15000				


Lampiran 6

Grafik W_0 , C_1 , C_2 , C_3 Dan C_4




Lampiran 7

Grafik C5



Lampiran 8

Grafik α For After Body



Lampiran 9

Grafik α For Fore Body

