

NPAR TESTS

/COCHRAN=VAR00002 VAR00003 VAR00006 VAR00007 VAR00009 VAR00011  
VAR00012

/MISSING LISTWISE

/METHOD=EXACT TIMER(5).

**NPar Tests**

Notes		
Output Created		20-JUN-2015 14:17:36
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics for all tests are based on cases with no missing data for any variables used.
	Cases Used	NPAP TESTS /COCHRAN=VAR00002 VAR00003 VAR00006 VAR00007 VAR00009 VAR00011 VAR00012 /MISSING LISTWISE /METHOD=EXACT TIMER(5).
Syntax		
Resources	Processor Time	00:04:59,63
	Elapsed Time	00:05:00,82
	Number of Cases Allowed <sup>a</sup>	78643
	Time for Exact Statistics	0:05:00,80

a. Based on availability of workspace memory.

[DataSet0]

## Cochran Test

Frequencies

	Value	
	0	1
VAR00002	13	87
VAR00003	13	87
VAR00006	14	86
VAR00007	13	87
VAR00009	14	86
VAR00011	14	86
VAR00012	7	93

Test Statistics<sup>b</sup>

N	100
Cochran's Q	5,500 <sup>a</sup>
df	6
Asymp. Sig.	,481

a. 1 is treated as a success.

b. Some or all exact significances cannot be computed because the time limit has been exceeded.

## LAMPIRAN 10

### UJI ASOSIASI ACARA MUSIK DAHSYAT

Warning # 849 in column 23. Text: in\_ID  
 The LOCALE subcommand of the SET command has an invalid parameter. It could not be mapped to a valid backend locale.

NPAR TESTS

```
/COCHRAN=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008 VAR00009 VAR00010 VAR00011 VAR00012 VAR00013
/MISSING LISTWISE
/METHOD=EXACT TIMER(5).
```

### NPar Tests

		Notes
Output Created		20-JUN-2015 14:29:23
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics for all tests are based on cases with no missing data for any variables used.
	Cases Used	NPAR TESTS /COCHRAN=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 VAR00011 VAR00012 VAR00013 /MISSING LISTWISE /METHOD=EXACT TIMER(5).
Syntax		
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,14
	Number of Cases Allowed <sup>a</sup>	49152
	Time for Exact Statistics	0:00:00,02

a. Based on availability of workspace memory.

**Test Statistics<sup>b</sup>**

N	100
Cochran's Q	105,716 <sup>a</sup>
df	12
Asymp. Sig.	,000

[DataSet0]

**Warnings**

Insufficient memory to compute exact statistics.

**Cochran Test**

**Frequencies**

	Value	
	0	1
VAR00001	40	60
VAR00002	30	70
VAR00003	17	83
VAR00004	14	86
VAR00005	25	75
VAR00006	30	70
VAR00007	33	67
VAR00008	21	79
VAR00009	14	86
VAR00010	53	47
VAR00011	24	76
VAR00012	25	75
VAR00013	12	88

- a. 1 is treated as a success.
- b. Some or all exact significances cannot be computed because there is insufficient memory.

**NPAR TESTS**

```
/COCHRAN=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006  
VAR00007 VAR00008 VAR00009 VAR00011 VAR00012 VAR00013  
/MISSING LISTWISE  
/METHOD=EXACT TIMER(5).
```

**NPar Tests****Notes**

Output Created		20-JUN-2015 14:35:20
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics for all tests are based on cases with no missing data for any variables used.
	Cases Used	NPART TESTS /COCHRAN=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00011 VAR00012 VAR00013 /MISSING LISTWISE /METHOD=EXACT TIMER(5).
Syntax		
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,03
	Number of Cases Allowed <sup>a</sup>	52428
	Time for Exact Statistics	0:00:00,02

a. Based on availability of workspace memory.

[DataSet0]

**Warnings**

Insufficient memory to compute exact statistics.

## Cochran Test

### Frequencies

	Value	
	0	1
VAR00001	40	60
VAR00002	30	70
VAR00003	17	83
VAR00004	14	86
VAR00005	25	75
VAR00006	30	70
VAR00007	33	67
VAR00008	21	79
VAR00009	14	86
VAR00011	24	76
VAR00012	25	75
VAR00013	12	88

### Test Statistics<sup>b</sup>

N	100
Cochran's Q	57,121 <sup>a</sup>
df	11
Asymp. Sig.	,000

a. 1 is treated as a success.

b. Some or all exact significances cannot be computed because there is insufficient memory.

NPAR TESTS  
 /COCHRAN=VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007  
 VAR00008 VAR00009 VAR00011 VAR00012 VAR00013  
 /MISSING LISTWISE  
 /METHOD=EXACT TIMER(5).

## NPar Tests

		Notes
Output Created		20-JUN-2015 14:36:58
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics for all tests are based on cases with no missing data for any variables used.
	Cases Used	NPAR TESTS /COCHRAN=VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00011 VAR00012 VAR00013 /MISSING LISTWISE /METHOD=EXACT TIMER(5).
Syntax		
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,06
	Number of Cases Allowed <sup>a</sup>	56173
	Time for Exact Statistics	0:00:00,05

a. Based on availability of workspace memory.

[DataSet0]

### Warnings

Insufficient memory to compute exact statistics.

## Cochran Test

### Frequencies

	Value	
	0	1
VAR00002	30	70
VAR00003	17	83
VAR00004	14	86
VAR00005	25	75
VAR00006	30	70
VAR00007	33	67
VAR00008	21	79
VAR00009	14	86
VAR00011	24	76
VAR00012	25	75
VAR00013	12	88

### Test Statistics<sup>b</sup>

N	100
Cochran's Q	38,646 <sup>a</sup>
df	10
Asymp. Sig.	,000

a. 1 is treated as a success.

b. Some or all exact significances cannot be computed because there is insufficient memory.



```

NPAR TESTS
  /COCHRAN=VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00008
VAR00009 VAR00011 VAR00012 VAR00013
  /MISSING LISTWISE
  /METHOD=EXACT TIMER(5).

```

## NPar Tests

		Notes
Output Created		20-JUN-2015 14:38:54
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics for all tests are based on cases with no missing data for any variables used.
	Cases Used	NPAR TESTS /COCHRAN=VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00008 VAR00009 VAR00011 VAR00012 VAR00013 /MISSING LISTWISE /METHOD=EXACT TIMER(5).
Syntax		
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,05
	Number of Cases Allowed <sup>a</sup>	60494
	Time for Exact Statistics	0:00:00,03

a. Based on availability of workspace memory.

[DataSet0]

### Warnings

Insufficient memory to compute exact statistics.

## Cochran Test

### Frequencies

	Value	
	0	1
VAR00002	30	70
VAR00003	17	83
VAR00004	14	86
VAR00005	25	75
VAR00006	30	70
VAR00008	21	79
VAR00009	14	86
VAR00011	24	76
VAR00012	25	75
VAR00013	12	88

### Test Statistics<sup>b</sup>

N	100
Cochran's Q	30,480 <sup>a</sup>
df	9
Asymp. Sig.	,000

- a. 1 is treated as a success.  
 b. Some or all exact significances cannot be computed because there is insufficient memory.

## NPAR TESTS

```

/COCHRAN=VAR00003 VAR00004 VAR00005 VAR00006 VAR00008 VAR00009
VAR00011 VAR00012 VAR00013
/MISSING LISTWISE
/METHOD=EXACT TIMER(5).

```

**NPar Tests****Notes**

Output Created		20-JUN-2015 14:40:17
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics for all tests are based on cases with no missing data for any variables used.
	Cases Used	NPAR TESTS /COCHRAN=VAR00003 VAR00004 VAR00005 VAR00006 VAR00008 VAR00009 VAR00011 VAR00012 VAR00013 /MISSING LISTWISE /METHOD=EXACT TIMER(5).
Syntax		
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02
	Number of Cases Allowed <sup>a</sup>	65536
	Time for Exact Statistics	0:00:00,02

a. Based on availability of workspace memory.

[DataSet0]

**Warnings**

Insufficient memory to compute exact statistics.

## Cochran Test

### Frequencies

	Value	
	0	1
VAR00003	17	83
VAR00004	14	86
VAR00005	25	75
VAR00006	30	70
VAR00008	21	79
VAR00009	14	86
VAR00011	24	76
VAR00012	25	75
VAR00013	12	88

### Test Statistics<sup>b</sup>

N	100
Cochran's Q	24,980 <sup>a</sup>
df	8
Asymp. Sig.	,002

- a. 1 is treated as a success.  
 b. Some or all exact significances cannot be computed because there is insufficient memory.

```

NPAR TESTS
  /COCHRAN=VAR00003 VAR00004 VAR00005 VAR00008 VAR00009 VAR00011
VAR00012 VAR00013
  /MISSING LISTWISE
  /METHOD=EXACT TIMER(5).

```

## NPar Tests

		Notes
Output Created		20-JUN-2015 14:41:50
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics for all tests are based on cases with no missing data for any variables used.
	Cases Used	NPAR TESTS /COCHRAN=VAR00003 VAR00004 VAR00005 VAR00008 VAR00009 VAR00011 VAR00012 VAR00013 /MISSING LISTWISE /METHOD=EXACT TIMER(5).
Syntax		
Resources	Processor Time	00:05:00,68
	Elapsed Time	00:05:02,02
	Number of Cases Allowed <sup>a</sup>	71493
	Time for Exact Statistics	0:05:02,00

a. Based on availability of workspace memory.

[DataSet0]

## Cochran Test

### Frequencies

	Value	
	0	1
VAR00003	17	83
VAR00004	14	86
VAR00005	25	75
VAR00008	21	79
VAR00009	14	86
VAR00011	24	76
VAR00012	25	75
VAR00013	12	88

### Test Statistics<sup>b</sup>

N	100
Cochran's Q	17,684 <sup>a</sup>
df	7
Asymp. Sig.	,013

- a. 1 is treated as a success.  
 b. Some or all exact significances cannot be computed because the time limit has been exceeded.

## NPAR TESTS

```

/COCHRAN=VAR00003 VAR00004 VAR00005 VAR00008 VAR00009 VAR00011
VAR00013
/MISSING LISTWISE
/METHOD=EXACT TIMER(5).

```

**NPar Test****Notes**

Output Created		20-JUN-2015 14:48:34
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics for all tests are based on cases with no missing data for any variables used.
	Cases Used	NPAR TESTS /COCHRAN=VAR00003 VAR00004 VAR00005 VAR00008 VAR00009 VAR00011 VAR00013 /MISSING LISTWISE /METHOD=EXACT TIMER(5).
Syntax		
Resources	Processor Time	00:04:59,73
	Elapsed Time	00:05:01,28
	Number of Cases Allowed <sup>a</sup>	78643
	Time for Exact Statistics	0:05:01,28

a. Based on availability of workspace memory.

[DataSet0]

## Cochran Test

	Frequencies	
	Value	
	0	1
VAR00003	17	83
VAR00004	14	86
VAR00005	25	75
VAR00008	21	79
VAR00009	14	86
VAR00011	24	76
VAR00013	12	88

Test Statistics <sup>b</sup>	
N	100
Cochran's Q	14,678 <sup>a</sup>
df	6
Asymp. Sig.	,023

- a. 1 is treated as a success.  
 b. Some or all exact significances cannot be computed because the time limit has been exceeded.



## NPAR TESTS

```

/COCHRAN=VAR00003 VAR00004 VAR00008 VAR00009 VAR00011 VAR00013
/MISSING LISTWISE
/METHOD=EXACT TIMER(5).

```

**NPar Tests**

		Notes
Output Created		20-JUN-2015 14:55:41
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	100
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics for all tests are based on cases with no missing data for any variables used.
	Cases Used	NPAR TESTS /COCHRAN=VAR00003 VAR00004 VAR00008 VAR00009 VAR00011 VAR00013 /MISSING LISTWISE /METHOD=EXACT TIMER(5).
Syntax		
Resources	Processor Time	00:03:39,96
	Elapsed Time	00:03:43,27
	Number of Cases Allowed <sup>a</sup>	87381
	Time for Exact Statistics	0:03:43,25

a. Based on availability of workspace memory.

[DataSet0]

**Cochran Test****Frequencies**

	Value	
	0	1
VAR00003	17	83
VAR00004	14	86
VAR00008	21	79
VAR00009	14	86
VAR00011	24	76
VAR00013	12	88

**Test Statistics**

N	100
Cochran's Q	11,329 <sup>a</sup>
df	5
Asymp. Sig.	,045
Exact Sig.	,045
Point Probability	,003

a. 1 is treated as a success.

## NPAR TESTS

```
/COCHRAN=VAR00003 VAR00004 VAR00008 VAR00009 VAR00013
```

```
/MISSING LISTWISE
```

```
/METHOD=EXACT TIMER(5).
```

## NPar Tests

		Notes
Output Created		20-JUN-2015 15:01:52
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
Missing Value Handling	N of Rows in Working Data File	100
	Definition of Missing	User-defined missing values are treated as missing. Statistics for all tests are based on cases with no missing data for any variables used.
Syntax	Cases Used	NPAR TESTS /COCHRAN=VAR00003 VAR00004 VAR00008 VAR00009 VAR00013 /MISSING LISTWISE /METHOD=EXACT TIMER(5).
	Processor Time	00:00:01,37
Resources	Elapsed Time	00:00:01,44
	Number of Cases Allowed <sup>a</sup>	98304
	Time for Exact Statistics	0:00:01,43

a. Based on availability of workspace memory.

[DataSet0]

**Cochran Test****Frequencies**

	Value	
	0	1
VAR00003	17	83
VAR00004	14	86
VAR00008	21	79
VAR00009	14	86
VAR00013	12	88

**Test Statistics**

N	100
Cochran's Q	6,474 <sup>a</sup>
Df	4
Asymp. Sig.	,166
Exact Sig.	,174
Point Probability	,016

a. 1 is treated as a success.

**LAMPIRAN 11**  
**Chi Square Distribution**

TABLE IV								
Chi-Square ( $\chi^2$ ) Distribution								
Area to the Right of Critical Value								
Degrees of Freedom	0.99	0.975	0.95	0.90	0.10	0.05	0.025	0.01
1	—	0.001	0.004	0.016	2.706	3.841	5.024	6.635
2	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9.210
3	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.345
4	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277
5	0.554	0.831	1.145	1.610	9.236	11.071	12.833	15.086
6	0.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812
7	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475
8	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090
9	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666
10	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209
11	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725
12	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217
13	4.107	5.009	5.892	7.042	19.812	22.362	24.736	27.688
14	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141
15	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578
16	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000
17	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409
18	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805
19	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191
20	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566
21	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932
22	9.542	10.982	12.338	14.042	30.813	33.924	36.781	40.289
23	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638
24	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980
25	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314
26	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642
27	12.879	14.573	16.151	18.114	36.741	40.113	43.194	46.963
28	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278
29	14.257	16.047	17.708	19.768	39.087	42.557	45.722	49.588
30	14.954	16.791	18.493	20.599	40.256	43.773	46.979	50.892

## LAMPIRAN 12

r Tabel

n	Taraf Signifikan		n	Taraf Signifikan		n	Taraf Signifikan	
	5%	1%		5%	1%		5%	1%
3	0,997	0,999	27	0,381	0,487	55	0,266	0,345
4	0,950	0,990	28	0,374	0,478	60	0,254	0,330
5	0,878	0,959	29	0,367	0,470	65	0,244	0,317
6	0,811	0,917	30	0,361	0,463	70	0,235	0,306
7	0,754	0,874	31	0,355	0,456	75	0,227	0,296
8	0,707	0,834	32	0,349	0,449	80	0,220	0,286
9	0,666	0,798	33	0,344	0,442	85	0,213	0,278
10	0,632	0,765	34	0,339	0,436	90	0,207	0,270
11	0,602	0,735	35	0,334	0,430	95	0,202	0,263
12	0,576	0,708	36	0,329	0,424	100	0,195	0,256
13	0,553	0,684	37	0,325	0,418	120	0,176	0,230
14	0,532	0,661	38	0,320	0,413	150	0,159	0,210
15	0,514	0,641	39	0,316	0,408	170	0,148	0,194
16	0,497	0,623	40	0,312	0,403	200	0,138	0,181
17	0,482	0,606	41	0,308	0,398	300	0,113	0,148
18	0,468	0,590	42	0,304	0,393	400	0,098	0,128
19	0,456	0,575	43	0,301	0,389	500	0,088	0,115
20	0,444	0,561	44	0,297	0,384	600	0,080	0,105
21	0,433	0,549	45	0,294	0,380	700	0,074	0,097
22	0,423	0,537	46	0,291	0,376	800	0,070	0,091
23	0,413	0,526	47	0,288	0,372	900	0,065	0,086
24	0,404	0,515	48	0,284	0,368	1000	0,062	0,081
25	0,396	0,505	49	0,281	0,364			
26	0,388	0,496	50	0,279	0,361			

**LAMPIRAN 13****DAFTAR RIWAYAT HIDUP**

Nama Lengkap : Zalika Lutfia Rani  
Tempat, Tanggal Lahir : Blora, 5 Januari 1994  
Jenis Kelamin : Perempuan  
Agama : Islam  
Kewarganegaraan : Indonesia  
Alamat : Jl H Nuar RT 008 RW 06 No 16 B Kelurahan  
Pondok kelapa Kecamatan Duren Sawit Jakarta Timur 13450

**Latarbelakang Pendidikan**

1998 : TK Sawitri  
1999 – 2005 : SDN Pondok Kelapa 04 Pagi  
2005 – 2008 : SMP Negeri 194 Jakarta  
2008 – 2011 : SMA Negeri 107 Jakarta  
2011 – 2015 : Universitas Darma Persada