

## LAMPIRAN

### 1. Menu Utama

```
<?php
    session_start();
    include 'header_index.php';
    include 'koneksi.php';
    ?>
<div class="content-wrapper">
<div class="content-header">
    <div class="container-fluid">
        <div class="row mb-2">
            <div class="col-sm-6">
                <h1 class="m-0 text-dark">Dashboard</h1>
            </div><!-- /.col -->
            <div class="col-sm-6">
                <ol class="breadcrumb float-sm-right">
                    <li class="breadcrumb-item"><a href="index.php">Home</a></li>
                    <li class="breadcrumb-item active">Dashboard</li>
                </ol>
            </div>
        </div>
    </div>
</div>
</div>
</div>
<div class="content col-lg-12">
<div class="row">
<div class="col-12">
<div class="card">
<div class="card-header">
    <h2 style="font-family: cooper">Laporan Terkini Covid-19 di
Indonesia</h2>
```

```
</div>
</div>
</div>
</div>
<?php
if(isset($_GET['pesan'])){
    if($_GET['pesan']=="logout"){
        ?>
        <div class="alert alert-warning" role="alert">
            Berhasil Logout!
        </div>
        <?php
    }
}
?>
<div class="row">
    <div class="col-lg-4 col-6">
        <div class="small-box bg-info">
            <div class="inner">
                <h3>125.396<sup style="font-size: 20px"></sup></h3>
                <p>Positif</p>
            </div>
            <div class="icon">
                <i class="fas fa-hospital"></i>
            </div>
            <a href="#" class="small-box-footer"></a>
        </div>
    </div>
</div>
```

```
<div class="col-lg-4 col-6">
<div class="small-box bg-success">
  <div class="inner">
    <h3>80.952<sup style="font-size: 20px"></sup></h3>

    <p>Sembuh</p>
  </div>
  <div class="icon">
    <i class="fas fa-user"></i>
  </div>
  <a href="#" class="small-box-footer"></a>
</div>
</div>
<div class="col-lg-4 col-6">
<div class="small-box bg-danger">
  <div class="inner">
    <h3>5.723<sup style="font-size: 20px"></sup></h3>
    <p>Meninggal</p>
  </div>
  <div class="icon">
    <i class="fas fa-skull-crossbones"></i>
  </div>
  <a href="#" class="small-box-footer"></a>
</div>
</div>
</div>
  <div class="card">
    <div class="card-body">
      <?php
```

```
if (isset($_GET['pesan'])) {
    if ($_GET['pesan'] == "berhasil") {
        ?>
        <div class="alert alert-success" role="alert">
            Berhasil !!!
        </div>
    <?php
    }
}
?>
<table id="example1" class="table table-bordered table-striped">
    <thead>
    <tr>
        <th>No</th>
        <th>Positif</th>
        <th>Sembuh</th>
        <th>Meninggal</th>
        <th>Tanggal</th>
    </tr>
    </thead>
    <tbody>
    <?php
    $query = mysqli_query($db, "SELECT * from tb_sementara");
    $no = 1;
    while ($user = mysqli_fetch_array($query)) {
        echo "<tr>
        <td>$no</td>
        <td>$user[Positif]</td>
```

```

        <td>$user[Sembuh]</td>
        <td>$user[Meninggal]</td>
        <td>$user[Tanggal]</td>
    </tr>";
    $no++;
}
?>
</tbody>
</table>
</div>
</section>
<?php include 'footer_index.php'; ?>
<button type="submit" name="submit" class="btn btn-
primary">Submit</button>
</form>
</div>
<div class="modal-footer">
</div>
</div>
</div>
</div>

```

## 2. Login

```

<?php include "header_index.php"; ?>
<div class="content-wrapper">
<div class="content-header">
    <div class="container-fluid">
        <div class="row mb-2">
            <div class="col-sm-6">
</div>

```

```
<div class="col-sm-6">
    <ol class="breadcrumb float-sm-right">
        <li class="breadcrumb-item"><a href="index.php">Home</a></li>
        <li class="breadcrumb-item active">Login</li>
    </ol>
</div>
</div>
</div>
</div>
<section class="content col-lg-12">
    <div class="row">
        <div class="col-12">
            <div class="card">
                <div class="card-header">
                    <h2 style="font-family: cooper">Silakan Login!</h2>
                </div>
            </div>
        </div>
    </div>
</div>
<?php
    if(isset($_GET['pesan'])){
        if($_GET['pesan']=="gagal"){
            ?>
            <div class="alert alert-danger" role="alert">
                Username / Password Salah !!!
            </div>
        <?php
    }
}
```

```

if(isset($_GET['pesan'])){
    if($_GET['pesan']=="berhasil"){
        ?>
        <div class="alert alert-success" role="alert">
            Berhasil Daftar Silahkan Login
        </div>
        <?php
    }
}
?>
<div class="row">
    <div class="col-lg-4 mt-2 ml-5">
        <form action="proses_login.php" method="POST">
            <div class="input-group mb-3">
                <input type="text" class="form-control" placeholder="Username"
name="username">
                <div class="input-group-append">
                    <div class="input-group-text">
                        <span class="fas fa-user"></span>
                    </div>
                </div>
            </div>
            <div class="input-group mb-3">
                <input type="password" class="form-control" placeholder="Password"
name="password">
                <div class="input-group-append">
                    <div class="input-group-text">
                        <span class="fas fa-lock"></span>
                    </div>
                </div>
            </div>
        </form>
    </div>

```

```

</div>
<div class="input-group mb-2">
    <button type="submit" name="login" value="Login" class="btn btn-
primary btn-block btn-flat" style="border-radius: 50px">Login</button>
</div>
</form>
<form action="register.php" method="POST">
    <span><center>atau</center></span>
    <div class="input-group mt-2">
        <button type="submit" name="login" value="Login" class="btn btn-
primary btn-block btn-flat" style="border-radius: 50px">Register</button>
    </div>
</form>
</div>
</div>
</section>
<?php include 'footer_index.php'; ?>

```

### 3. Register

```

<?php include "header_index.php"; ?>
<div class="content-wrapper">
<div class="content-header">
    <div class="container-fluid">
        <div class="row mb-2">
            <div class="col-sm-6">
</div>
<div class="col-sm-6">
    <ol class="breadcrumb float-sm-right">
        <li class="breadcrumb-item"><a href="index.php">Home</a></li>
        <li class="breadcrumb-item active">Register</li>

```



```
        </ol>
    </div>
    </div>
    </div>
    </div>
    <section class="content col-lg-12">
    <div class="row">
    <div class="col-12">
    <div class="card">
    <div class="card-header">
    <h2 style="font-family: cooper">Silakan Registrasi!</h2>
    </div>
    </div>
    </div>
    </div>
    </div>
    <?php
    if(isset($_GET['pesan'])){
    if($_GET['pesan']=="berhasil"){
    ?>
    <div class="alert alert-success" role="alert">
    Berhasil daftar silahkan login
    </div>
    <?php
    }
    }
    if(isset($_GET['pesan'])){
    if($_GET['pesan']=="gagal"){
    ?>
    <div class="alert alert-danger" role="alert">
```

Password berbeda! Mohon Ulangi

```
</div>
```

```
<?php
```

```
}
```

```
}
```

```
if(isset($_GET['pesan'])){
```

```
if($_GET['pesan']=="username"){
```

```
?>
```

```
<div class="alert alert-danger" role="alert">
```

```
Username Telah digunakan!
```

```
</div>
```

```
<?php
```

```
}
```

```
}
```

```
?>
```

```
<div class="row">
```

```
<div class="col-lg-4 mt-2 ml-5">
```

```
<form action="proses_register.php" method="post">
```

```
<div class="input-group mb-3">
```

```
<input type="text" name="nama" class="form-control" placeholder="Full name">
```

```
<div class="input-group-append">
```

```
<div class="input-group-text">
```

```
<span class="fas fa-user"></span>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="input-group mb-3">
```

```
<input type="text" name="username" class="form-control"
placeholder="Username">
<div class="input-group-append">
  <div class="input-group-text">
    <span class="fas fa-envelope"></span>
  </div>
</div>
</div>
<div class="input-group mb-3">
  <input type="password" name="password1" class="form-control"
placeholder="Password">
  <div class="input-group-append">
    <div class="input-group-text">
      <span class="fas fa-lock"></span>
    </div>
  </div>
</div>
<div class="input-group mb-3">
  <input type="password" name="password2" class="form-control"
placeholder="Retype password">
  <div class="input-group-append">
    <div class="input-group-text">
      <span class="fas fa-lock"></span>
    </div>
  </div>
</div>
<div class="input-group mb-2">
  <button type="submit" name="submit" value="submit" class="btn btn-
primary btn-block btn-flat" style="border-radius: 50px">Register</button>
</div>
```

```
<p class="mt-3">Sudah punya akun? <a href="login.php" class="text-center">Login di sini!</a></p>
```

```
</div>
```

```
</form><br>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<?php include 'footer_index.php'; ?>
```

```
<?php
```

```
    session_start();
```

```
    include '../template/header_admin.php';
```

```
?>
```

```
<div class="content-wrapper">
```

```
<section class="content-header">
```

```
    <div class="container-fluid">
```

```
        <div class="row mb-2">
```

```
            <div class="col-sm-6">
```

```
                <h1>Data Pertanyaan</h1>
```

```
            </div>
```

```
            <div class="col-sm-6">
```

```
                <ol class="breadcrumb float-sm-right">
```

```
                    <li class="breadcrumb-item"><a href="#">Home</a></li>
```

```
                    <li class="breadcrumb-item active">Data Pertanyaan</li>
```

```
                </ol>
```

```
            </div>
```

```
        </div>
```

```
    </div>
```

```
</section>
```

```
<section class="content">
  <div class="row">
    <div class="col-12">
      <div class="card">
        <div class="card-body">
          <button type="button" class="btn btn-primary mb-3" data-toggle="modal"
            data-target="#exampleModal">
```

Tambah Pertanyaan

```
</button>
```

```
<?php
```

```
if(isset($_GET['pesan'])){
```

```
  if($_GET['pesan']=="berhasil"){
```

```
    ?>
```

```
    <div class="alert alert-success" role="alert">
```

```
      Berhasil !!!
```

```
    </div>
```

```
    <?php
```

```
  } else if($_GET['pesan']=="gagal"){
```

```
    ?>
```

```
    <div class="alert alert-warning" role="alert">
```

```
      Gagal !!!
```

```
    </div>
```

```
    <?php
```

```
  }
```

```
}
```

```
?>
```

```
<table id="example1" class="table table-bordered table-striped">
```

```
<thead>
```

```
<tr>
```

```
<th class="text-center">No</th>
```

```

<th class="text-center">Pertanyaan</th>
<th class="text-center">Bobot</th>
<th class="text-center">Aksi</th>
<th class="text-center">Aksi</th>
</tr>
</thead>
<tbody>
<?php
$sql = mysqli_query($db,"SELECT * from tb_pertanyaan");
$no = 1;
while ($tanya = mysqli_fetch_array($sql)) {
echo "<tr>
<td class='text-center'>$no</td>
<td>$tanya[pertanyaan]</td>
<td class='text-center'>$tanya[bobot]%</td>
<td class='text-center'>
<a
href='edit_pertanyaan.php?id_pertanyaan=$tanya[id_pertanyaan]'\>
<div class='btn btn-sm btn-warning' title='Edit'\>
<i class='fas fa-edit'\></i>
</div>
</a>
<a
href='hapus_pertanyaan.php?id_pertanyaan=$tanya[id_pertanyaan]'\>
<div class='btn btn-sm btn-danger' title='Hapus'\>
<i class='fas fa-trash-alt'\></i>
</div>
</a>
</td>
</tr>";

```



```
$jumlah_bobot=0;
while ($data = mysqli_fetch_array($query)) {
    $jumlah_bobot+=$data['bobot'];
}

if ($jumlah_bobot == 100) {
    ?>
    <div class="modal-body">
        <h4>Jumlah bobot sudah 100%. Silakan cek kembali!</h4>
    </div>
    <?php
} else {
    $sisia=100-$jumlah_bobot;
    ?>
    <div class="modal-body">
        <form method="POST" action="proses_tambahpertanyaan.php"
enctype="multipart/form-data">
            <div class="form-group">
                <label>Kode Pertanyaan</label>
                <input type="text" name="kode" class="form-control"
placeholder="Kode" required>
            </div>
            <div class="form-group">
                <label>Pertanyaan</label>
                <input type="text" name="pertanyaan" class="form-control"
placeholder="Pertanyaan" required>
            </div>
            <div class="form-group">
                <label>Bobot</label>
                <input type="text" name="bobot" class="form-control"
placeholder="Bobot" required>
```



```
<small style="color: red;">Sisa bobot yang dapat digunakan: <?= $sis  
>% </small>
```

```
</div>
```

```
<button type="submit" name="submit" class="btn btn-  
primary">Submit</button>
```

```
</form>
```

```
</div>
```

```
<?php
```

```
}
```

```
?>
```

```
<div class="modal-footer">
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

