

## DAFTAR PUSTAKA

### A. Buku

- Abu, Ahmadi, H & Munawar Sholeh 2005. *Psikologi Perkembangan*. Jakarta: PT Rineka Cipta.
- Baguss, Lorens. 1996. *Kamus Filsafat*. Jakarta: PT Gramedia Pustaka Utama.
- Dagun, Save M. 1997. *Kamus Besar Ilmu Pengetahuan*. Jakarta: Lembaga Pengkajian Kebudayaan Nusantara (LKPN).
- Farnworth, E.R. 2003. *Handbook of Fermented Functional Foods*. USA: CRC Press.
- Farnworth, E. R. 2008. *Handbook of fermented functional foods*. CRC Press.
- Gabriel, A. S., Ninomiya, K., & Uneyama, H. (2018). *The Role of the Japanese Traditional Diet in Healthy and Sustainable Dietary Patterns around the World*. *Nutrients*, 10(2), 173.
- Hisao, Fujii (1986). *糸引き納豆の糸*. *化学と生物*, 24(1), 67-70.
- Hui, Y. H., Ghazala, S., Graham, D. M., Murrell, K. D., & Nip, W. K. (Eds.). (2003). *Handbook of Vegetable Preservation and Processing*. USA: CRC Press.
- Hosoi, T., & Kiuchi, K. (2008). Natto: A soybean food made by fermenting cooked soybeans with *Bacillus subtilis* (natto). In *Handbook of Fermented Functional Foods, Second Edition* (pp. 267-290). CRC Press.
- Ikeda, Y., Iki, M., Morita, A., Kajita, E., Kagamimori, S., Kagawa, Y., & Yoneshima, H. (2006). *Intake of fermented soybeans, natto, is associated with reduced bone loss in postmenopausal women: Japanese Population-Based Osteoporosis (JPOS) Study*. *The journal of nutrition*, 136(5), 1323-1328.
- Ikeda, N., Saito, E., Kondo, N., Inoue, M., Ikeda, S., Satoh, T., ... & Noda, M. (2011). *What has made the population of Japan healthy?*. *The Lancet*, 378(9796), 1094-1105.
- Inagaki, S., Morimura, S., Shigematsu, T., Kida, K., & Akutagawa, H. 2005. *Apoptosis induction by vinegar produced from boiled extract of black soybeans in human monoblastic leukemia U937 cells: Difference in sensitivity to cell toxicity compared to normal lymphocytes*. *Food science and technology research*, 11(3), 311-317.

- Kamus Besar Bahasa Indonesia Pusat Bahasa. *Edisi Keempat*. 2008. Jakarta: PT Gramedia Pustaka Utama.
- Kementerian Pertanian, Kehutanan, dan Perikanan Jepang. 2009. *Japan's Tasty Secrets*.
- Kiuchi, K. 2001. *Miso & Natto*. Food Culture, 3, 7-10.
- Kiuchi, K., & Watanabe, S. (2004). *Industrialization of Japanese natto*. Food Science and Technology-New York-Marcel Dekker-, 193-238.
- Kiuchi, K., Ohta, T., Itoh, H., Takabayashi, T., & Ebine, H. 1976. *Lipids of natto*. Journal of agricultural and food chemistry, 24(2), 404-407.
- Monks, dkk. 2006. *Psikologi Perkembangan*. Yogyakarta: Gajah Mada University Press.
- Muramoto, Y., Yamaguchi, Y., Tomita, K., Ukai, K., Matsui, M., & Ohtani, K. 2015. *A Shokuiku (Food Education) Program for Promoting Healthful Dietary Behavior in Elementary School Students through Increased Awareness of the Benefits of Kyoto's Food Culture*. Journal of Japanese Society of Shokuiku, 9(2), 207-219.
- Murooka, Y., & Yamshita, M. 2008. *Traditional Healthful Fermented Products of Japan*. J Ind Microbiol Biotechnol, 35, 791-798.
- Nagata, C., Takatsuka, N., & Shimizu, H. 2002. *Soy and Fish Oil Intake and Mortality in a Japanese Community*. American Journal of Epidemiology, 156(9), 824-831.
- Nakamura, K., Nashimoto, M., Okuda, Y., Ota, T., & Yamamoto, M. 2002. *Fish as a major source of vitamin D in the Japanese diet*. Nutrition, 18(5), 415-416.
- Nakamura, Y., Sasaki, A., Park, E. Y., Kubo, N., Nakamura, T., Kubo, Y., & Okamoto, S. 2015. *Expectations of Health Benefits in Plant Materials in Southeast Asia based on Washoku (Japanese Cuisine) Study Focusing on Kyo-sai (Heirloom Vegetables in Kyoto)*. Mahidol University Journal Pharmaceutical Sciences, 42(2), 47-54.
- Nanri, A., Mizoue, T., Shimazu, T., Ishihara, J., Takachi, R., & Noda, M. 2017. *Dietary patterns and all-cause, cancer, and cardiovascular disease mortality in Japanese men and women: The Japan public health center-based prospective study*. PLoS ONE, 12(4), e0174848.
- Naruse, K., & Wataru Naruse. 1978. *U.S. Patent No.4,110,477*. Washington, Dc: U.S. Patent and Trademark Office.

- Ohsugi, T., Ikeda, S., & Sumi, H. 2005. *Anti-platelet aggregation and anti-blood coagulation activities of dipicolinic acid, a spore component of Bacillus subtilis natto*. Food science and technology research, 11(3), 308-310.
- Okamoto, A., Hanagata, H., Kawamura, Y., & Yanagida, F. 1995. *Anti-hypertensive Substances in Fermented Soybean, Natto*. Plant Food for Human Nutrition, 47(1), 39-47.
- Rakasi, K. 2011. *Nutritional and Health Benefits of Soybeans and Micro-Enterprise Opportunities*. In Quinto congreso de la Soja de Marcosur (Vol. 14).
- Sarkar, P. K., & Nout, M. R. (Eds.). (2014). *Handbook of Indigenous Foods Involving Alkaline Fermentation*. CRC Press.
- Schwalfenberg, G. K. (2017). *Vitamins K1 and K2: the emerging group of vitamins required for human health*. Journal of nutrition and metabolism, 2017.
- Shimomura, M., Kanamori, H., Komatsu, S., Namiki, N., Mukai, Y., Kurita, K., ... & Kaga, A. 2015. *The Glycine max cv. Enrei Genome for Improvement of Japanese Soybean Cultivars*. International Journal of Genomics.
- Sugano, M. (2006). Nutritional implications of soy. *Soy in health and disease prevention*, 1-16.
- Sumi, H. 1990. *納豆の機能性*. 日本醸造協会誌, 85(8), 518-524.
- Suzuki, S., Nakamura, Y., Yutaka, K., & Nishioka. 2006. *納豆による遅発性アナフィラキシーを繰り返した1例*. アレルギー, 55(7), 832-836.
- Shurtleff, W., & Aoyagi, A. (2012). *History of Natto and Its Relatives (1405-2012)*. Soyinfo Center.
- Shurtleff, W., & Aoyagi, A. (2009). *History of Miso, Soybean Jiang (China) Jang (Korea) and Tauco/Tautjo (Indonesia) (200 BC-2009)*. USA: Soyinfo Center.
- Steinkraus, K.H. Edisi Kedua. 1995. *Handbook of Indigenous Fermented Foods*. USA: CRC Press.
- Steinkraus, K. 2004. *Industrialization of Indigenous Fermented Foods, Revised and Expanded*. New York: CRC Press.

Sunagawa, Y., Okamura, N., Miyazaki, Y., Shimizu, K., Genpei, M., Funamoto, M., ... & Komiyama, M. 2018. *Effects of products containing Bacillus subtilis var.natto on healthy subjects with neck and shoulder stiffness, a double-blind, placebo-controlled, randomized crossover study*. Biological and Pharmaceutical Bulletin, 41 (4), 504-509.

Tokudome, S., Hashimoto, S., & Igata, A. 2016. *Life expectancy and healthy life expectancy of Japan: the fastest graying society in the world*. BMC research notes, 9(1), 482.

Tsukamoto, Y., Kasai, M., & Kakuda, H. (2001). *Construction of a Bacillus subtilis (natto) with high productivity of vitamin K2 (menaquinone-7) by analog resistance*. Bioscience, biotechnology, and biochemistry, 65(9), 2007-2015.

Yamasaki, Y. (1987). *The bitter peptide in natto*. Journal of Home Economics of Japan, 38(2), 93—97.

Wei, Q., Wolf –Hall, C., & Chang, K.C. 2001. *Natto Characteristics as Affected by Steaming Time, Bacillus Strain, and Fermentation Time*. Journal of Food Science, 66(1), 167-173.

Wickramasinghe, N. P. 2017. *Nutritional Composition of (Australian Sweet Lupin) Natto and Tempeh: Effect of Source and Fermentation Time* (Doctoral dissertation, Curtin University).

Yamasaki, Y. 2003. *Fermented Soy Products: Tempe, Nattos, Miso and Soy Sauce*. Handbook of Vegetable Preservation and Processing. 251-272.

Yoshida, H., Tomiyama, Y., Yoshida, N., Shibata, K., & Mizushima, Y. (2010). *Regiospecific profiles of fatty acids in triacylglycerols and phospholipids from adzuki beans (Vigna angularis)*. Nutrients, 2(1), 49-59.

### **Sumber Gambar**

Kiuchi, K. (2001). Miso & Natto. *Food Culture*, 3, 7-10.

Yoneya, T. (2003). Fermented soy products: Tempe, nattos, miso and soy sauce. *Handbook of Vegetable Preservation and Processing*, 256.

Yoneya, T. (2003). Fermented soy products: Tempe, nattos, miso and soy sauce. *Handbook of Vegetable Preservation and Processing*, 259.

### **B. Website**

[http://www.city.nisshin.lg.jp/dbps\\_data/\\_material/\\_files/000/000/022/461/201708.pdf](http://www.city.nisshin.lg.jp/dbps_data/_material/_files/000/000/022/461/201708.pdf) (diakses pada 5 Agustus, 2018 pukul 20.15 WIB).

<http://www.iso flavones.info/iso flavones-content.php> (diakses pada 13 Agustus, 2018 pukul 22:25 WIB).

<https://kufura.jp/life/cooking/12858> (diakses pada 14 Agustus, 2018 pukul 06:30 WIB).

<http://www.location-research.co.jp/kyoudoryouri100/ryouri/pdf/japan%27stastysecrets.pdf> (diakses pada 4 September, 2018 pukul 19:45 WIB).

<http://www.maff.go.jp/e/policies/market/attach/pdf/index-12.pdf> (diakses pada 5 September, 2018 pukul 22:00 WIB).

[https://www.fujicco.co.jp/cms\\_news/news/upload/pr\\_20080901\\_2.pdf](https://www.fujicco.co.jp/cms_news/news/upload/pr_20080901_2.pdf) (diakses pada 5 September, 2018 pukul 19:30 WIB).

<http://www.nattou.com/topics/ama.html> (diakses pada 11 September, 2018 pukul 20:00 WIB).

<http://www.natto-science.jp/market01.html> (diakses pada 13 September, 2018 pukul 22:00 WIB).

<https://nattosphere.com/2015/02/25/natto-varieties/> (diakses pada 8 September, 2018 pukul 09:00 WIB).

### **Sumber Gambar**

<http://thekyotoproject.org/english/natto/> (diakses pada 13 Agustus, 2018 pukul 11:44 WIB).

<http://www.nelsonfarmersmarket.org.nz/newsarticle/38366> (diakses pada 14 Agustus, 2018 pukul 00:31 WIB).

<https://www.agefotostock.com/age/en/Stock-Images/Royalty-Free/LPX-u18470252> (diakses pada 5 September, 2018 pukul 09:05 WIB).

<https://www.jalan.net/news/article/23410/> (diakses pada 8 September, 2018 pukul 21:20 WIB).

<https://magomagom.exblog.jp/11382042/> (diakses pada 10 September, 2018 pukul 13:40 WIB).



[https://www.kingstone.com.tw/food/book\\_page.asp?kmcode=3040000007183](https://www.kingstone.com.tw/food/book_page.asp?kmcode=3040000007183)  
(diakses pada 11 September, 2018 pukul 21:07 WIB).

<http://www.natto-science.jp/market01.html> (diakses pada 13 September, 2018  
pukul 22:00 WIB).

